# Safety Data Sheet
**according to HPR, Schedule 1**

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

## 1 Identification

· **Product identifier**

· **Trade name:** GRF IMAL AE 300ML*12 L221
· **Other means of identification**
· **Application of the substance / the mixture** Penetrating oil

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Bison International
Dr.A.F.Philipsstraat 9
NL-4462 EW Goes
PO Box 160
NL-4460 AD Goes
tel. +31 88 3235700
fax. +31 88 3235800
e mail: sds@boltonadhesives.com

· **Information department:** PSRA
· **Emergency telephone number:**
Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET)
UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @
https://poisoncentres.echa.europa.eu/appointed-bodies

* 
## 2 Hazard identification

· **Classification of the substance or mixture**

| | |
|---|---|
| Aerosols, Section 2.3.1 – Category 1 | H222 Extremely flammable aerosol. |
| | H229 Pressurized container: may burst if heated. |
| Specific target organ toxicity (single exposure) – Category 3 | H336 May cause drowsiness or dizziness. |
| Aspiration hazard – Category 1 | H304 May be fatal if swallowed and enters airways. |

· **Label elements**
· **Hazard pictograms**



GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
1-methoxy-2-propanol
Hydrocarbons, C10, aromatics, <1% naphthalene
1,2,4-trimethylbenzene
· **Hazard statements**
H222 Extremely flammable aerosol.

(Contd. on page 2)

# Safety Data Sheet
## according to HPR, Schedule 1

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

**Trade name:** GRF IMAL AE 300ML*12 L221

(Contd. of page 1)

H229 Pressurized container: may burst if heated.
H336 May cause drowsiness or dizziness.
H304 May be fatal if swallowed and enters airways.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P271 Use only outdoors or in a well-ventilated area.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 Dispose of contents/container in accordance with national regulations.

· **Information pertaining to particular dangers for man and environment:**
· **Classification system:**
· **NFPA ratings (scale 0 - 4)**




Health = 0
Fire = 4
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**




Health = 0
Fire = 4
Reactivity = 3

## 3 Composition/Information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** Penetrating oil

· **Dangerous components:**

| | | |
|---|---|---|
| | Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 15-40% w/w * |
| 107-98-2 | 1-methoxy-2-propanol | 10-30% w/w * |
| 106-97-8 | n-Butan | 10-30% w/w * |
| 74-98-6 | propane | 7-13% w/w * |
| | Hydrocarbons, C10, aromatics, <1% naphthalene | 5-10% w/w * |
| 75-28-5 | isobutane | 3-7% w/w * |
| 95-63-6 | 1,2,4-trimethylbenzene | 0.1-1% w/w * |
| 95-38-5 | 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol | ≥0.1-<1% w/w * |

* Actual concentration ranges are withheld as a trade secret.

CA

(Contd. on page 3)

# Safety Data Sheet
## according to HPR, Schedule 1

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

**Trade name:** GRF IMAL AE 300ML*12 L221

(Contd. of page 2)

## 4 First-aid measures

· **Description of first aid measures**
· **General information:** No special measures required.
· **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
No special measures required.
· **After skin contact:** Generally the product does not irritate the skin.
· **After eye contact:** Rinse opened eye for several minutes under running water.
· **After swallowing:** If symptoms persist consult doctor.
· **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

## 5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **Special hazards arising from the substance or mixture**
No further relevant information available.
· **Advice for firefighters**
· **Protective equipment:** No special measures required.

## 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

## 7 Handling and storage

· **Precautions for safe handling** No special precautions are necessary if used correctly.
· **Information about protection against explosions and fires:**
Do not spray on a naked flame or any incandescent material.
Keep ignition sources away - Do not smoke.

(Contd. on page 4)

# Safety Data Sheet
## according to HPR, Schedule 1

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

**Trade name:** GRF IMAL AE 300ML*12 L221

(Contd. of page 3)

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Observe official regulations on storing packagings with pressurized containers.
· **Information about storage in one common storage facility:** Not required
· **Further information about storage conditions:** Keep receptacle tightly sealed.
· **Storage class:** 2 B
· **Specific end use(s)** No further relevant information available.

* 
## 8 Exposure controls/ Personal protection

· **Control parameters**

| · **Components with limit values that require monitoring at the workplace:** | |
|---|---|
| **107-98-2 1-methoxy-2-propanol** | |
| EL | STEL: 100 ppm<br>TWA: 50 ppm |
| EV | STEL: 550 mg/m³, 150 ppm<br>TWA: 365 mg/m³, 100 ppm |
| **106-97-8 n-Butan** | |
| EL | STEL: 1000 ppm<br>EX |
| EV | TWA: 800 ppm<br>revoked as of 01/01/18 |
| **74-98-6 propane** | |
| EL | Simple asphyxiant; EX |
| EV | TWA: 1,000 ppm<br>revoked as of 01/01/18 |
| **75-28-5 isobutane** | |
| EL | STEL: 1000 ppm<br>EX |
| EV | TWA: 800 ppm<br>revoked as of 01/01/18 |
| **95-63-6 1,2,4-trimethylbenzene** | |
| EL | TWA: 10 ppm |

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**
· **Additional information about design of technical systems:** No further data; see section 7.
· **Personal protective equipment:**
· **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.

(Contd. on page 5)

# Safety Data Sheet
## according to HPR, Schedule 1

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

**Trade name:** GRF IMAL AE 300ML*12 L221

(Contd. of page 4)

· **Breathing equipment:**
Use suitable respiratory protective device in case of insufficient ventilation.
· **Recommended filter device for short term use:** Filter A
· **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
Recommended thickness of the material: > 0,12 mm
Nitrile rubber, NBR
· **Penetration time of glove material**
For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).
· **Eye protection:** Not required

* 
## 9 Physical and chemical properties

| | |
|---|---|
| · **Information on basic physical and chemical properties** | |
| · **General Information** | |
| · **Physical state** | Aerosol |
| · **Color:** | According to product specification |
| · **Odor:** | Characteristic |
| · **Odor threshold:** | Not determined |
| · **Melting point/Melting range:** | Undetermined |
| · **Boiling point/Boiling range:** | -44.5 °C |
| · **Flammability:** | Not applicable |
| · **Explosion limits:** | |
| · **Lower:** | 0.5 Vol % |
| · **Upper:** | ~20 Vol % |
| · **Flash point:** | -60 °C |
| · **Auto igniting:** | 210 °C |
| · **Decomposition temperature:** | Not determined |
| · **pH-value:** | Mixture is a gas. |
| · **Viscosity:** | |
| · **Kinematic:** | Not determined |
| · **Dynamic:** | Not determined |
| · **Solubility in / Miscibility with** | |
| · **Water:** | Not miscible or difficult to mix. |
| · **Partition coefficient (n-octanol/water):** | Not determined |
| · **Vapor pressure at 20 °C:** | 8300 hPa |
| · **Vapor pressure:** | |
| · **Density at 20 °C:** | ~0.634 g/cm³ |
| · **Relative density** | Not determined |
| · **Vapor density** | Not determined |

(Contd. on page 6)

# Safety Data Sheet
## according to HPR, Schedule 1

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

**Trade name:** GRF IMAL AE 300ML*12 L221

(Contd. of page 5)

| | |
|---|---|
| · **Particle characteristics** | Not applicable |
| · **Other information** | All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture. |
| · **Appearance:** | |
| · **Form:** | Aerosol |
| · **Important information on protection of health and environment, and on safety.** | |
| · **Ignition temperature:** | Product is not selfigniting. |
| · **Danger of explosion:** | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| · **Solvent content:** | |
| · **Organic solvents:** | 80.5 % |
| · **Solids content:** | 0.2 % |
| · **Change in condition** | |
| · **Evaporation rate** | Not applicable. |

## 10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

* 
## 11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**

| · **LD/LC50 values that are relevant for classification:** | | |
|---|---|---|
| **Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics** | | |
| Oral | LD50 | >5000 mg/kg (rat) |
| Dermal | LD50 | >5000 mg/kg (rabbit) |
| **107-98-2 1-methoxy-2-propanol** | | |
| Oral | LD50 | 4016 mg/kg (rat) |
| Dermal | LD50 | >2000 mg/kg (rabbit) |
| **Hydrocarbons, C10, aromatics, <1% naphthalene** | | |
| Oral | LD50 | >5000 mg/kg (rat) |
| Dermal | LD50 | >2000 mg/kg (rabbit) |

(Contd. on page 7)

# Safety Data Sheet
## according to HPR, Schedule 1

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

**Trade name:** GRF IMAL AE 300ML*12 L221

(Contd. of page 6)

| **95-63-6 1,2,4-trimethylbenzene** | | |
|---|---|---|
| Oral | LD50 | 5000 mg/kg (rat) |
| Inhalative | LC50/4 h | 11 mg/l (rat) |
| **95-38-5 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol** | | |
| Oral | LD50 | 1265 mg/kg (rat) |

· **Primary irritant effect:**
· **on the skin:** No irritant effect.
· **on the eye:** No irritating effect.
· **Sensitization:** No sensitizing effects known.
· **Germ cell mutagenicity** Not applicable
· **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:

· **Carcinogenic categories**

| · **IARC (International Agency for Research on Cancer)** | | |
|---|---|---|
| 91-20-3 | naphthalene | 2B |

| · **NTP (National Toxicology Program)** | | |
|---|---|---|
| 91-20-3 | naphthalene | R |

## 12 Ecological information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

* 
## 13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.

(Contd. on page 8)

# Safety Data Sheet
## according to HPR, Schedule 1

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

**Trade name:** GRF IMAL AE 300ML*12 L221

(Contd. of page 7)

· **Uncleaned packagings:**
· **Recommendation:**
Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

## 14 Transport information

| | |
|---|---|
| · **UN-Number** | |
| · **DOT/TDG, ADR, IMDG, IATA** | UN1950 |
| · **UN proper shipping name** | |
| · **DOT/TDG** | Aerosols, flammable |
| · **ADR** | 1950 Aerosols |
| · **IMDG** | AEROSOLS |
| · **IATA** | AEROSOLS, flammable |
| · **Transport hazard class(es)** | |
| · **DOT/TDG (Transport dangerous goods):** | |




| | |
|---|---|
| · **Class** | 2.1 Gases |
| · **Label** | 2.1 |
| · **ADR** | |




| | |
|---|---|
| · **Class** | 2 5F Gases |
| · **Label** | 2.1 |
| · **IMDG, IATA** | |




| | |
|---|---|
| · **Class** | 2.1 Gases |
| · **Label** | 2.1 |
| · **Packing group** | |
| · **DOT/TDG, ADR, IMDG, IATA** | not regulated |
| · **Environmental hazards:** | |
| · **Marine pollutant:** | No |
| · **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** | Not applicable |

(Contd. on page 9)

# Safety Data Sheet
## according to HPR, Schedule 1

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

**Trade name:** GRF IMAL AE 300ML*12 L221

(Contd. of page 8)

· **Transport/Additional information:**

· **DOT/TDG**

| | |
|---|---|
| · **Quantity limitations** | On passenger aircraft/rail: 75 kg<br>On cargo aircraft only: 150 kg |
| · **ADR** | |
| · **Excepted quantities (EQ)** | Code: E0<br>Not permitted as Excepted Quantity |
| · **IMDG** | |
| · **Limited quantities (LQ)** | 1L |
| · **Excepted quantities (EQ)** | Code: E0<br>Not permitted as Excepted Quantity |
| · **Special precautions for user** | Warning: Gases |
| · **Hazard identification number (Kemler code):** | - |
| · **EMS Number:** | F-D,S-U |
| · **Segregation groups** | (SGG18) Alkalis |
| · **Stowage Code** | SW1 Protected from sources of heat.<br>SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. |
| · **Segregation Code** | SG69 For AEROSOLS with a maximum capacity of 1 litre:<br>Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivision of class 2.<br>For WASTE AEROSOLS:<br>Segregation as for the appropriate subdivision of class 2. |
| · **UN "Model Regulation":** | UN 1950 AEROSOLS, 2.1 |

* 
## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

| | |
|---|---|
| 95-63-6 | 1,2,4-trimethylbenzene |
| 91-20-3 | naphthalene |

(Contd. on page 10)

# Safety Data Sheet
## according to HPR, Schedule 1

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

**Trade name:** GRF IMAL AE 300ML*12 L221

(Contd. of page 9)

· **TSCA (Toxic Substances Control Act):**

| | | |
|---|---|---|
| | Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | ACTIVE |
| 107-98-2 | 1-methoxy-2-propanol | ACTIVE |
| 106-97-8 | n-Butan | ACTIVE |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic | ACTIVE |
| 74-98-6 | propane | ACTIVE |
| 75-28-5 | isobutane | ACTIVE |
| 95-63-6 | 1,2,4-trimethylbenzene | ACTIVE |
| 95-38-5 | 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol | ACTIVE |
| 110-25-8 | (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine | ACTIVE |
| 91-20-3 | naphthalene | ACTIVE |
| 7782-42-5 | Graphite | ACTIVE |
| 1589-47-5 | 2-methoxypropanol | ACTIVE |

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**

| | |
|---|---|
| | Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics |
| 107-98-2 | 1-methoxy-2-propanol |
| 106-97-8 | n-Butan |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic |
| 74-98-6 | propane |
| 75-28-5 | isobutane |
| 95-63-6 | 1,2,4-trimethylbenzene |
| 95-38-5 | 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol |
| 110-25-8 | (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine |
| 91-20-3 | naphthalene |
| 7782-42-5 | Graphite |
| 1589-47-5 | 2-methoxypropanol |

· **Canadian Non-Domestic Substances List (NDSL)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

| | |
|---|---|
| 95-63-6 | 1,2,4-trimethylbenzene |

· **Canadian Ingredient Disclosure list (limit 1%)**

| | |
|---|---|
| 107-98-2 | 1-methoxy-2-propanol |
| 106-97-8 | n-Butan |

· **Per- and polyfluoroalkyl substances (PFAS)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)

# Safety Data Sheet
## according to HPR, Schedule 1

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

**Trade name:** GRF IMAL AE 300ML*12 L221

(Contd. of page 10)

· **Hazard pictograms**



GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
1-methoxy-2-propanol
Hydrocarbons, C10, aromatics, <1% naphthalene
1,2,4-trimethylbenzene

· **Hazard statements**
H222 Extremely flammable aerosol.
H229 Pressurized container: may burst if heated.
H336 May cause drowsiness or dizziness.
H304 May be fatal if swallowed and enters airways.

· **Precautionary statements**

| | |
|---|---|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. |
| P501 | Dispose of contents/container in accordance with national regulations. |

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** PSRA
· **Contact:** PSRA
· **Date of previous version** 01/22/2022
· **Version number of previous version:** 179
· **Date of preparation** 07/16/2026
· **Abbreviations and acronyms:**
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 12)

# Safety Data Sheet
## according to HPR, Schedule 1

Date of issue 07/16/2026 Version number 180 Revision: 07/16/2026

**Trade name:** GRF IMAL AE 300ML*12 L221

(Contd. of page 11)

vPvB: very Persistent and very Bioaccumulative

· *** Data compared to the previous version altered.**

CA