Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

1 Identification

· **Product identifier**

· **Trade name:** GRF SEALANT REMOVER BO 250ML*6 L221
· **Other means of identification**
· **Application of the substance / the mixture** Cleaning agent/ Cleaner

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Bison International
Dr.A.F.Philipsstraat 9
NL-4462 EW Goes
PO Box 160
NL-4460 AD Goes
tel. +31 88 3235700
fax. +31 88 3235800
e mail: sds@boltonadhesives.com

· **Information department:** PSRA
· **Emergency telephone number:**
Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET)
UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)


For detailed information contact the national Poison Centre @
https://poisoncentres.echa.europa.eu/appointed-bodies

*
2 Hazard identification

· **Classification of the substance or mixture**

Flammable liquids – Category 3	H226 Flammable liquid and vapour.
Acute Toxicity (Oral) - Category 4	H302 Harmful if swallowed.
Skin Corrosion - Category 1C	H314 Causes severe skin burns and eye damage.
Eye damage/irritation – Category 1	H318 Causes serious eye damage.

· **Label elements**
· **Hazard pictograms**



GHS02 GHS05 GHS07

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives
Quaternary ammonium compounds, benzyl-C16-18 (even numbered)-alkyldimethyl, chlorides
· **Hazard statements**
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
· **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

Trade name: GRF SEALANT REMOVER BO 250ML*6 L221

(Contd. of page 1)

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P501	Dispose of contents/container in accordance with national regulations.

· **Information pertaining to particular dangers for man and environment:**
· **Classification system:**
· **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 2
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *3
Fire = 2
Reactivity = 0

3 Composition/Information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** Cleansing agent

· **Dangerous components:**

	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	60-80% w/w *
85536-14-7	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives	10-30% w/w *
67-63-0	propan-2-ol	0.1-1% w/w *
	Quaternary ammonium compounds, benzyl-C16-18 (even numbered)-alkyldimethyl, chlorides	≥0.1-<1% w/w *
78-93-3	Butanone	0.1-1% w/w *

* Actual concentration ranges are withheld as a trade secret.

CA

(Contd. on page 3)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

Trade name: GRF SEALANT REMOVER BO 250ML*6 L221

(Contd. of page 2)

*
4 First-aid measures

· **Description of first aid measures**
· **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
· **After inhalation:** Call a doctor immediately.
· **After skin contact:** Immediately rinse with water.
· **After eye contact:**
Rinse opened eye for several minutes under running water. Then consult a doctor.
· **After swallowing:**
Rinse out mouth and then drink plenty of water.
Immediately call a doctor.
· **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
Water haze
Alcohol resistant foam
Fire-extinguishing powder
Carbon dioxide
· **For safety reasons unsuitable extinguishing agents:** Water with full jet
· **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
· **Advice for firefighters**
· **Protective equipment:** Mouth respiratory protective device.
· **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Send for recovery or disposal in suitable receptacles.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.

(Contd. on page 4)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

Trade name: GRF SEALANT REMOVER BO 250ML*6 L221

(Contd. of page 3)

· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling**
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required
· **Further information about storage conditions:** Keep receptacle tightly sealed.
· **Storage class:** 3
· **Specific end use(s)** No further relevant information available.

8 Exposure controls/ Personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
67-63-0 propan-2-ol	
EL	STEL: 400 ppm TWA: 200 ppm
EV	STEL: 400 ppm TWA: 200 ppm
78-93-3 Butanone	
EL	STEL: 100 ppm TWA: 50 ppm R, Skin
EV	STEL: 885 mg/m³, 300 ppm TWA: 590 mg/m³, 200 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**
· **Additional information about design of technical systems:** No further data; see section 7.
· **Personal protective equipment:**
· **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

Trade name: GRF SEALANT REMOVER BO 250ML*6 L221

(Contd. of page 4)

Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

· **Breathing equipment:**
Use suitable respiratory protective device in case of insufficient ventilation.
· **Recommended filter device for short term use:** Filter A
· **Protection of hands:**
Solvent resistant gloves


Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**
Recommended thickness of the material: > 0,12 mm
Nitrile rubber, NBR
· **Penetration time of glove material**
For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).
· **Eye protection:**


Tightly sealed goggles

Goggles recommended during refilling.
· **Body protection:** Solvent resistant protective clothing

*
9 Physical and chemical properties

· **Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Liquid
· **Color:**	Brown
· **Odor:**	Characteristic
· **Odor threshold:**	Not determined
· **Melting point/Melting range:**	-25 °C
· **Boiling point/Boiling range:**	36 °C
· **Flammability:**	Flammable.
· **Explosion limits:**	
· **Lower:**	0.7 Vol %
· **Upper:**	6.5 Vol %
· **Flash point:**	≤60 °C
· **Auto igniting:**	~310 °C

(Contd. on page 6)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

Trade name: GRF SEALANT REMOVER BO 250ML*6 L221

(Contd. of page 5)

· **Decomposition temperature:**	Not determined
· **pH-value:**	Not determined
· **Viscosity:**	
· **Kinematic:**	Not determined
· **Dynamic at 20 °C:**	140000 mPas
· **Solubility in / Miscibility with**	
· **Water at 20 °C:**	0.04 g/l
· **Partition coefficient (n-octanol/water):**	Not determined
· **Vapor pressure:**	Not determined
· **Vapor pressure:**	
· **Density at 20 °C:**	~0.81 g/cm³
· **Relative density**	Not determined
· **Vapor density**	Not determined
· **Particle characteristics**	Not applicable
· **Other information**	All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.
· **Appearance:**	
· **Form:**	Fluid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not selfigniting.
· **Danger of explosion:**	Not determined
· **Solvent content:**	
· **Organic solvents:**	0.9 %
· **Solids content:**	5.7 %
· **Change in condition**	
· **Evaporation rate**	Not determined

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **Possibility of hazardous reactions** Corrosive action on metals.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** Danger of toxic pyrolysis products.

CA

(Contd. on page 7)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

Trade name: GRF SEALANT REMOVER BO 250ML*6 L221

(Contd. of page 6)

*
11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**		
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics		
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rat)
Inhalative	LC50/4 h	>5000 mg/l (rat)
85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives		
Oral	LD50	>300-2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
67-63-0 propan-2-ol		
Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)
78-93-3 Butanone		
Oral	LD50	>2193 mg/kg (rat)
Dermal	LD50	>8050 mg/kg (rat)

· **Primary irritant effect:**
· **on the skin:** No irritant effect.
· **on the eye:** Strong irritant with the danger of severe eye injury.
· **Sensitization:** No sensitizing effects known.
· **Germ cell mutagenicity** Not applicable
· **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**		
67-63-0	propan-2-ol	3
7664-93-9	sulphuric acid	1
14808-60-7	Quartz (SiO2)	1
9003-39-8	Polyvinylpyrrolidon	3

· **NTP (National Toxicology Program)**		
7664-93-9	sulphuric acid	K
14808-60-7	Quartz (SiO2)	K

(Contd. on page 8)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

Trade name: GRF SEALANT REMOVER BO 250ML*6 L221

(Contd. of page 7)

12 Ecological information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.

· **Uncleaned packagings:**
· **Recommendation:**
Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

14 Transport information

· **UN-Number**	
· **DOT/TDG, ADR, IMDG, IATA**	UN2924
· **UN proper shipping name**	
· **DOT/TDG**	Flammable liquids, corrosive, n.o.s. (Hydrocarbons, C11-C12, isoalkanes, <2% aromatics, Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives)
· **ADR**	2924 Flammable liquids, corrosive, n.o.s. (Isopropanol)
· **IMDG, IATA**	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives, ISOPROPANOL (ISOPROPYL ALCOHOL))

(Contd. on page 9)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

Trade name: GRF SEALANT REMOVER BO 250ML*6 L221

(Contd. of page 8)

· **Transport hazard class(es)**

· **DOT/TDG (Transport dangerous goods):**



· **Class**	3 Flammable liquids
· **Label**	3, 8

· **ADR**



· **Class**	3 (FC) Flammable liquids
· **Label**	3+8

· **IMDG**



· **Class**	3 Flammable liquids
· **Label**	3/8

· **IATA**



· **Class**	3 Flammable liquids
· **Label**	3 (8)
· **Packing group**	
· **DOT/TDG, ADR, IMDG, IATA**	III
· **Environmental hazards:**	
· **Marine pollutant:**	No
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable
· **Transport/Additional information:**	
· **DOT/TDG**	
· **Quantity limitations**	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· **ADR**	
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000

(Contd. on page 10)

CA

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

Trade name: GRF SEALANT REMOVER BO 250ML*6 L221

(Contd. of page 9)

·	ml
· **IMDG**	
· **Limited quantities (LQ)**	5L
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· **Remarks:**	For substances with class 3 according to IMDG-Code chapter 2.3.2.2 packing group is classified in packing group III, as viscosity is in accordance with requirements (flow time t > 100s).
· **Special precautions for user**	Warning: Flammable liquids
· **Hazard identification number (Kemler code):**	38
· **EMS Number:**	F-E,S-C
· **Segregation groups**	(SGG1) Acids
· **Stowage Category**	A
· **Stowage Code**	SW2 Clear of living quarters.
· **UN "Model Regulation":**	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3 (8), III

*
15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 355 (extremely hazardous substances):**	
7664-93-9	sulphuric acid

· **Section 313 (Specific toxic chemical listings):**	
67-63-0	propan-2-ol
7664-93-9	sulphuric acid

· **TSCA (Toxic Substances Control Act):**		
85536-14-7	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives	ACTIVE
63800-37-3	Sepiolite	ACTIVE
112945-52-5	fumed silica	ACTIVE
67-63-0	propan-2-ol	ACTIVE
	Quaternary ammonium compounds, benzyl-C16-18 (even numbered)-alkyldimethyl, chlorides	ACTIVE
78-93-3	Butanone	ACTIVE
7664-93-9	sulphuric acid	ACTIVE
14808-60-7	Quartz (SiO2)	ACTIVE
9003-39-8	Polyvinylpyrrolidon	ACTIVE
616-45-5	2-pyrrolidone	ACTIVE

(Contd. on page 11)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

Trade name: GRF SEALANT REMOVER BO 250ML*6 L221

(Contd. of page 10)

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**	
85536-14-7	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives
112945-52-5	fumed silica
67-63-0	propan-2-ol
	Quaternary ammonium compounds, benzyl-C16-18 (even numbered)-alkyldimethyl, chlorides
78-93-3	Butanone
7664-93-9	sulphuric acid
14808-60-7	Quartz (SiO2)
9003-39-8	Polyvinylpyrrolidon
616-45-5	2-pyrrolidone

· **Canadian Non-Domestic Substances List (NDSL)**	
63800-37-3	Sepiolite

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

None of the ingredients is listed.

· **Per- and polyfluoroalkyl substances (PFAS)**

None of the ingredients is listed.

· **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**



GHS02 GHS05 GHS07

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives
Quaternary ammonium compounds, benzyl-C16-18 (even numbered)-alkyldimethyl, chlorides
· **Hazard statements**
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
· **Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 12)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 08/07/2026 Version number 40 Revision: 07/17/2026

Trade name: GRF SEALANT REMOVER BO 250ML*6 L221

(Contd. of page 11)

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P501	Dispose of contents/container in accordance with national regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** PSRA
· **Contact:** PSRA
· **Date of previous version** 06/19/2021
· **Version number of previous version:** 39
· **Date of preparation** 08/07/2026
· **Abbreviations and acronyms:**
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
· *** Data compared to the previous version altered.**

CA