# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
· **Application of the substance / the mixture** Adhesive

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Bison International B.V.
Dr.A.F.Philipsstraat 9
NL-4462 EW Goes
PO Box 160
NL-4460 AD Goes
tel. +31 88 3235700
fax. +31 88 3235800
e-mail: sds@boltonadhesives.com

· **Further information obtainable from:** PSRA
· **1.4 Emergency telephone number:**
Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111

* 
## SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**

| | |
|---|---|
| Aerosol 1 | H222 Extremely flammable aerosol. |
| | H229 Pressurised container: May burst if heated. |
| Acute Tox. 4 | H332 Harmful if inhaled. |
| Skin Irrit. 2 | H315 Causes skin irritation. |
| Eye Irrit. 2 | H319 Causes serious eye irritation. |
| Resp. Sens. 1 | H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Skin Sens. 1 | H317 May cause an allergic skin reaction. |
| Carc. 2 | H351 Suspected of causing cancer. |
| STOT SE 3 | H335 May cause respiratory irritation. |
| STOT RE 2 | H373 May cause damage to organs through prolonged or repeated exposure. |

· **2.2 Label elements**
· **Classification needs to be in accordance with the NZ Hazardous Substances (Hazard Classification) Notice 2020**
The product is classified and labelled according to the GB CLP regulation.
· **Hazard pictograms**



GHS02 GHS07 GHS08

(Contd. on page 2)

# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

**Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1

(Contd. of page 1)

· **Signal word** Danger

· **Hazard-determining components of labelling:**
4,4'-methylenediphenyl diisocyanate
· **Hazard statements**
H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H332 Harmful if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H335 May cause respiratory irritation.
H373 May cause damage to organs through prolonged or repeated exposure.
· **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P260 Do not breathe spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 Dispose of contents/container in accordance with national regulations.
· **Additional information:**
EUH204 Contains isocyanates. May produce an allergic reaction.
As from 24 August 2023 adequate training is required before industrial or professional use.
· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable

| · **Determination of endocrine-disrupting properties** | | |
|---|---|---|
| 1244733-77-4 | reaction product of phosphoryl trichloride and 2-methyloxirane | List II; III |

* 
## SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Adhesive

(Contd. on page 3)

# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

**Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1

(Contd. of page 2)

· **Dangerous components:**

| | | |
|---|---|---|
| CAS: 101-68-8<br>EINECS: 202-966-0<br>Index number: 615-005-00-9<br>Reg.nr.: 01-2119457014-47-XXXX | 4,4'-methylenediphenyl diisocyanate<br>Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204<br>Specific concentration limits:<br>Skin Irrit. 2; H315: C ≥5 %<br>Eye Irrit. 2; H319: C ≥ 5 %<br>Resp. Sens. 1; H334: C ≥ 0.1 %<br>STOT SE 3; H335: C ≥ 5 % | 50-100% |
| CAS: 1244733-77-4<br>EC number: 807-935-0 | reaction product of phosphoryl trichloride and 2-methyloxirane<br>Carc. 2, H351; Acute Tox. 4, H302; Aquatic Chronic 3, H412 | ≥10-<25% |
| CAS: 74-98-6<br>EINECS: 200-827-9<br>Index number: 601-003-00-5<br>Reg.nr.: 01-2119486944-21-XXXX | propane<br>Flam. Gas 1A, H220; Press. Gas (Comp.), H280 | 2.5-10% |
| CAS: 75-28-5<br>EINECS: 200-857-2<br>Index number: 601-004-00-0<br>Reg.nr.: 01-2119485395-27 | isobutane<br>Flam. Gas 1A, H220; Press. Gas (Comp.), H280 | 2.5-10% |
| CAS: 115-10-6<br>EINECS: 204-065-8<br>Index number: 603-019-00-8<br>Reg.nr.: 01-2119472128-37 | dimethyl ether<br>Flam. Gas 1A, H220; Press. Gas (Comp.), H280 | 2.5-10% |

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
· **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
· **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· **After swallowing:** If symptoms persist consult doctor.
· **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.

(Contd. on page 4)

# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

**Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1

(Contd. of page 3)

· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

## SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **5.2 Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
· **5.3 Advice for firefighters**
· **Protective equipment:** Mouth respiratory protective device.

## SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

## SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
· **Information about fire - and explosion protection:**
Do not spray onto a naked flame or any incandescent material.
Keep ignition sources away - Do not smoke.
Keep respiratory protective device available.
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Observe official regulations on storing packagings with pressurised containers.
· **Information about storage in one common storage facility:** Not required
· **Further information about storage conditions:** Keep container tightly sealed.
· **Storage class:** 2 B
· **7.3 Specific end use(s)** No further relevant information available.



(Contd. on page 5)

# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

**Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1

(Contd. of page 4)

## SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

| · **Ingredients with limit values that require monitoring at the workplace:** | |
|---|---|
| **101-68-8 4,4'-methylenediphenyl diisocyanate** | |
| WEL | Short-term value: 0.07 mg/m³<br>Long-term value: 0.02 mg/m³<br>Sen; as -NCO |
| **115-10-6 dimethyl ether** | |
| WEL | Short-term value: 958 mg/m³, 500 ppm<br>Long-term value: 766 mg/m³, 400 ppm |

| · **PNECs** | |
|---|---|
| **101-68-8 4,4'-methylenediphenyl diisocyanate** | |
| Fresh water | 1 mg/l |
| Marine water | 0.1 mg/l |
| Soil | 1 mg/kg |
| Sewage treatment plant | 1 mg/l |
| Sporadic release | 10 mg/l |

| · **Ingredients with biological limit values:** | |
|---|---|
| **101-68-8 4,4'-methylenediphenyl diisocyanate** | |
| BMGV | 1 µmol creatinine/mol<br>Medium: urine<br>Sampling time: At the end of the period od exposure<br>Parameter: isocyanate-derived diamine |

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
· **Respiratory protection:** Not required
· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)

# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

**Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1

(Contd. of page 5)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**
Recommended thickness of the material: > 0,12 mm
Nitrile rubber, NBR

· **Penetration time of glove material**
For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· **Eye/face protection**
Safety glasses



Tightly sealed goggles

· **Body protection:** Use protective suit.

## SECTION 9: Physical and chemical properties

| | |
|---|---|
| · **9.1 Information on basic physical and chemical properties** | |
| · **General Information** | |
| · **Physical state** | Aerosol |
| · **Colour:** | According to product specification |
| · **Odour:** | Characteristic |
| · **Odour threshold:** | Not determined |
| · **Melting point/freezing point:** | Undetermined |
| · **Boiling point or initial boiling point and boiling range** | -44.5 °C |
| · **Flammability** | Not applicable |
| · **Lower and upper explosion limit** | |
| · **Lower:** | Not determined |
| · **Upper:** | Not determined |
| · **Flash point:** | -97 °C |
| · **Auto-ignition temperature:** | 235 °C |
| · **Decomposition temperature:** | Not determined |
| · **pH** | Not determined |
| · **Viscosity:** | |
| · **Kinematic viscosity** | Not determined |
| · **Dynamic:** | Not determined |
| · **Solubility** | |
| · **water:** | Not miscible or difficult to mix. |
| · **Partition coefficient n-octanol/water (log value)** | Not determined |
| · **Vapour pressure at 20 °C:** | <0.1 hPa |
| · **Density and/or relative density** | |
| · **Density at 20 °C:** | 1.163 g/cm³ |
| · **Relative density** | Not determined |

(Contd. on page 7)

# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

**Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1

(Contd. of page 6)

| | |
|---|---|
| · **Vapour density** | Not determined |
| · **9.2 Other information** | All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture. |
| · **Appearance:** | |
| · **Form:** | Fluid |
| · **Important information on protection of health and environment, and on safety.** | |
| · **Ignition temperature:** | Product is not selfigniting. |
| · **Explosive properties:** | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |
| · **Solvent content:** | |
| · **Organic solvents:** | 13.6 % |
| · **Solids content:** | 61.6 % |
| · **Change in condition** | |
| · **Evaporation rate** | Not applicable. |
| · **Information with regard to physical hazard classes** | |
| · **Explosives** | Void |
| · **Flammable gases** | Void |
| · **Aerosols** | Extremely flammable aerosol. Pressurised container: May burst if heated. |
| · **Oxidising gases** | Void |
| · **Gases under pressure** | Void |
| · **Flammable liquids** | Void |
| · **Flammable solids** | Void |
| · **Self-reactive substances and mixtures** | Void |
| · **Pyrophoric liquids** | Void |
| · **Pyrophoric solids** | Void |
| · **Self-heating substances and mixtures** | Void |
| · **Substances and mixtures, which emit flammable gases in contact with water** | Void |
| · **Oxidising liquids** | Void |
| · **Oxidising solids** | Void |
| · **Organic peroxides** | Void |
| · **Corrosive to metals** | Void |
| · **Desensitised explosives** | Void |

## SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions**
Reacts with alcohols.

(Contd. on page 8)

# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

**Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1

(Contd. of page 7)

Reacts with water.
Reacts with alkali, amines and strong acids.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:** Danger of forming toxic pyrolysis products.

* 
## SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Harmful if inhaled.

| · **LD/LC50 values relevant for classification:** | | |
|---|---|---|
| **101-68-8 4,4'-methylenediphenyl diisocyanate** | | |
| Oral | LD50 | >2000 mg/kg (rat) |
| Dermal | LD50 | >9400 mg/kg (rabbit) |
| **115-10-6 dimethyl ether** | | |
| Inhalative | LC50/4 h | 308 mg/l (rat) |

· **Primary irritant effect:**
· **Skin corrosion/irritation**
Causes skin irritation.
· **Serious eye damage/irritation**
Causes serious eye irritation.
· **Respiratory or skin sensitisation**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
· **Germ cell mutagenicity**
Not applicable
Based on available data, the classification criteria are not met.
· **Carcinogenicity** Suspected of causing cancer.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** May cause respiratory irritation.
· **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **Additional toxicological information:**
· **Acute effects (acute toxicity, irritation and corrosivity)** Not applicable
· **Sensitisation** Not applicable
· **Repeated dose toxicity** Not applicable
· **11.2 Information on other hazards**

| · **Endocrine disrupting properties** | | |
|---|---|---|
| 1244733-77-4 | reaction product of phosphoryl trichloride and 2-methyloxirane | List II; III |

* 
## SECTION 12: Ecological information

· **12.1 Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential** No further relevant information available.

(Contd. on page 9)

# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

**Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1

(Contd. of page 8)

· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **12.6 Endocrine disrupting properties**
For information on endocrine disrupting properties see section 11.
· **12.7 Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

## SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.

· **Uncleaned packaging:**
· **Recommendation:**
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

## SECTION 14: Transport information

| | |
|---|---|
| · **14.1 UN number or ID number** | |
| · **ADR/ADN, IMDG, IATA** | UN1950 |
| · **14.2 UN proper shipping name** | |
| · **ADR/ADN** | 1950 AEROSOLS |
| · **IMDG** | AEROSOLS |
| · **IATA** | AEROSOLS, flammable |
| · **14.3 Transport hazard class(es)** | |
| · **ADR/ADN** | |



| | |
|---|---|
| · **Class** | 2 5F Gases. |
| · **Label** | 2.1 |

(Contd. on page 10)

# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

**Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1

(Contd. of page 9)

· **IMDG, IATA**



| | |
|---|---|
| · **Class** | 2 Gases. |
| · **Label** | 2.1 |
| · **14.4 Packing group** | |
| · **ADR/ADN, IMDG, IATA** | not regulated |
| · **14.5 Environmental hazards:** | Not applicable |
| · **14.6 Special precautions for user** | Warning: Gases. |
| · **Hazard identification number (Kemler code):** | - |
| · **EMS Number:** | F-D,S-U |
| · **Stowage Code** | SW1 Protected from sources of heat.<br>SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. |
| · **Segregation Code** | SG69 For AEROSOLS with a maximum capacity of 1 litre:<br>Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.<br>For AEROSOLS with a capacity above 1 litre:<br>Segregation as for the appropriate subdivision of class 2.<br>For WASTE AEROSOLS:<br>Segregation as for the appropriate subdivision of class 2. |
| · **14.7 Maritime transport in bulk according to IMO instruments** | Not applicable |
| · **Transport/Additional information:** | |
| · **Quantity limitations** | On passenger aircraft/rail: 75 kg<br>On cargo aircraft only: 150 kg |
| · **ADR/ADN** | |
| · **Limited quantities (LQ)** | 1L |
| · **Excepted quantities (EQ)** | Code: E0<br>Not permitted as Excepted Quantity |
| · **Transport category** | 2 |
| · **Tunnel restriction code** | D |
| · **IMDG** | |
| · **Limited quantities (LQ)** | 1L |
| · **Excepted quantities (EQ)** | Code: E0<br>Not permitted as Excepted Quantity |

(Contd. on page 11)

# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

**Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1

(Contd. of page 10)

· **UN "Model Regulation":** UN 1950 AEROSOLS, 2.1

## SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Poisons Act**

· **Regulated explosives precursors**
None of the ingredients is listed.

· **Regulated poisons**
None of the ingredients is listed.

· **Reportable explosives precursors**
None of the ingredients is listed.

· **Reportable poisons**
None of the ingredients is listed.

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
· **Seveso category** P3a FLAMMABLE AEROSOLS
· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t
· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 56a, 74

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Regulation (EC) No 273/2004 on drug precursors**
None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**
H220 Extremely flammable gas.
H280 Contains gas under pressure; may explode if heated.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

(Contd. on page 12)

# Safety data sheet
## according to UK REACH

Printing date 17.07.2026 Version number 14 (replaces version 13) Revision: 17.07.2026

**Trade name:** GRF FLEX FOAM 200 GUN AE 750ML*12 L1

(Contd. of page 11)

H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.
EUH204 Contains isocyanates. May produce an allergic reaction.

· **Classification according to Regulation (EC) No 1272/2008**

| Aerosols, Section 2.3.1 | Bridging principles |
|---|---|
| Acute toxicity - inhalation<br>Skin corrosion/irritation<br>Serious eye damage/irritation<br>Respiratory sensitisation<br>Skin sensitisation<br>Carcinogenicity<br>Specific target organ toxicity (single exposure)<br>Specific target organ toxicity (repeated exposure) | The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. |

· **Department issuing SDS:** PSRA
· **Contact:** PSRA
· **Date of previous version:** 17.03.2026
· **Version number of previous version:** 13
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Gas 1A: Flammable gases – Category 1A
Aerosol 1: Aerosols – Category 1
: Aerosols – Category 3
Press. Gas (Comp.): Gases under pressure – Compressed gas
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
· *** Data compared to the previous version altered.**

GB